



Product Datasheet

08 Strips & Profiles>The 230V Solid Double LED Strip Aluminium + PC

38207L/D



7W 230V Double Solid LED Strip, IP20.

Complete with non-dimmable LED driver.

Supplied with 6cm corner cable, 50 cm power cable 1pc connector & 3 fixing clips.

Connect Maximum 5pcs at 110V & 10pcs at 230V

Complies with standard EN60598-1 and any other specific standards.



Downloads







ח	ime	ncia	anc
			\mathbf{n}

	300mm	1	
T			7



Gallery



Physical Specification

Item Group		
Family		
Order Code		
Material		
Diffuser Material		

08 Strips & Profiles

The 230V Solid Double LED Strip Aluminium + PC

38207L/D

Aluminium

PC

Shape	Rectangular
Length	300mm
Width	45mm
Height	36mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Electrical Characteristics	
0	Double la
Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
Gear	
Gear Type	Led Driver
Input Voltage	100-240V

50 Hz	Yes	
60 Hz	Yes	
Power(Watts)	7W	
Constant Current	Yes	
IP Rating	IP20	
Safety Class		
Dimmable	No	
Illumination Data		
Out Town and m	000014	
Colour Temperature	6000K	
Lumen Output	530lm	
Light Efficiency	75,71lm/W	
CRI	75	
Illumination Diagram		
Packing Info		
Dec /O arter		
Pcs/Carton Pcs/Carton	30	
Barcode	5291889031376	
HS Code	9405409900	
Certification & Warranty		
Warranty	2 Years	
Weee Directive	Yes	

switch to one light!

