08 Strips & Profiles>The 230V Solid Double LED Strip Aluminium + PC

# 38215L/D

15W 230V Solid LED Strip, IP20.

Complete with non-dimmable LED driver.

Supplied with 6cm corner cable, 50 cm power cable 1pc connector & 3 fixing clips.

Connect Maximum 5pcs at 110V & 10pcs at 230V

Complies with standard EN60598-1 and any other specific standards.

IP20  75 CRI  QUICK FIX  CE

## Downloads

IES

## Dimensions

570mm  45mm

36mm

## Gallery

## Physical Specification

| | |
|---|---|
| Item Group | 08 Strips & Profiles |
| Family | The 230V Solid Double LED Strip Aluminium + PC |
| Order Code | 38215L/D |
| Material | Aluminium |
| Diffuser Material | PC |

| | |
|---|---|
| Shape | Rectangular |
| Length | 570mm |
| Width | 45mm |
| Height | 36mm |
| Surface Ceiling | Yes |
| Surface Wall | Yes |
| Indoor | Yes |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | ⏚ |
| Power(Watts) | 15W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark | ▽F |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Power(Watts) | 15W |
| IP Rating | IP20 |
| Light Source | LED built in |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 100-240V |

| | |
|---|---|
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 15W |
| Constant Current | Yes |
| IP Rating | IP20 |
| Safety Class | ▢ |
| Dimmable | No |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 6000K |
| Lumen Output | 1140lm |
| Light Efficiency | 76lm/W |
| CRI | 75 |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Pcs/Carton | 25 |
| Barcode | 5291889031406 |
| HS Code | 9405409900 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 2 Years |
| Weee Directive | Yes |

## switch to
## one light!