


www.1-light.eu

11 Office & Kitchen>The LED Linear Range CCT V

38250M/W/V



CCT Variable 50W LED fitting ideal for office installation, IP20.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



____ = 27mm

Downloads









Dimensions

| 1470mm | | |
|--------|--|---------------|
| | | 130mm |

Accessories



050090

Physical Specification

| Item Group | 11 Office & Kitchen |
|------------|----------------------------|
| Family | The LED Linear Range CCT V |
| Order Code | 38250M/W/V |
| Colour | White |
| Material | Aluminium + Plastic |
| Shape | Rectangular |

| Length | 1470mm |
|----------------------------|--------------|
| Width | 130mm |
| Height | 27mm |
| Surface Ceiling | Yes |
| Indoor | Yes |
| | |
| Electrical Characteristics | |
| | De ille la |
| Gear | Built In |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| | |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | 50144 |
| Power(Watts) | 50W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No VEZ |
| F Mark | F |
| Fitting | |
| | |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD 2835 |
| LED Brand | Samsung |
| Coor | |
| Gear | |
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |

| Constant Current | Yes |
|------------------|----------|
| 250mA | 155-180V |
| IP Rating | IP20 |
| Dimmable | No |
| | |

Illumination Data

| Colour Temperature | 3000K-4000K-6500K |
|----------------------|-------------------|
| Lumen Output | 4500lm |
| Light Efficiency | 90lm/W |
| CRI | 80 |
| Beam Angle | 120° |
| Illumination Diagram | |

Packing Info

| Box Weight | 2.133kg |
|------------|---------------|
| Pcs/Carton | 6 |
| Barcode | 5291889078036 |
| HS Code | 9405413990 |

Certification & Warranty

| Warranty | 2 years |
|----------------|---------|
| Weee Directive | Yes |

switch to one light!

