




24W Trimless Dark light recessed spot, IP20.

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Trimless Mirror Range
Order Code	50024HTR/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	337mm
Width	40mm
Height	60mm
Cutout Hole Width	278mm
Cutout Hole Length	41mm
Recessed trimmless ceiling	Yes

Depth Required	100mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	24W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	32V
Safety Class	
Power(Watts)	22,4W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3535
LED Brand	Bridgelux
LED Number	10
F Mark	

Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
700mA
IP Rating
Safety Class
Dimmable
Ambient Temp
Operating Temp
Brand
Protection

Led Driver
220-240V
Yes
Yes
16,8-29,4W
0,5
Yes
24-42V
IP20

No
-20°C...+45°C
85°C
Eaglerise
Over Load Protection, Over Voltage Protection, Short circuit Protection

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K
1700lm
70,83lm/W
90
38°

Yes

Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0.760kg
20
5291889075059
9405413990

Warranty

5 years

switch to
one light!

one
LIGHT

