

06 Downlights Fixed LED>Shop Square Boxes

50220B/W/C



2x20W downlight LED, shop square boxes range IP20, ideal for commercial applications such as offices, galleries and showrooms.

Supplied with 500mA non-dimmable LED drivers.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	06 Downlights Fixed LED
Family	Shop Square Boxes
Order Code	50220B/W/C
Colour	White
Material	Aluminium
Shape	Rectangular
Length	210mm
Width	120mm
Height	95mm
Cutout Hole Width	190mm
Cutout Hole Length	110mm
Recessed Ceiling	Yes

Depth Required	120mm
----------------	-------

Indoor	Yes
--------	-----

Adjustable	No
------------	----

Electrical Characteristics

Gear	External-Included
------	-------------------

Fitting + Driver

Input Voltage	220-240V
---------------	----------

50 Hz	Yes
-------	-----

60 Hz	Yes
-------	-----

Safety Class	
--------------	---



Power(Watts)	2x20W
--------------	-------

IP Rating	IP20
-----------	------

Light Source	LED built in
--------------	--------------

Dimmable	No
----------	----

F Mark	
--------	---



Fitting

Input Type	Constant Current
------------	------------------

Input Current	500mA
---------------	-------

Voltage	2x34,7V
---------	---------

Safety Class	
--------------	---



Power(Watts)	2x17,35W
--------------	----------

IP Rating	IP20
-----------	------

Light Source	LED built in
--------------	--------------


LED Type	COB
----------	-----

LED Brand	Sanan
-----------	-------

Gear	Led Driver
------	------------

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	12,5-20W
Power Factor	0,9
Constant Current	Yes
500mA	25-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Lifud

Illumination Data

Colour Temperature	4000K
Lumen Output	2x1800lm
Light Efficiency	90lm/W
CRI	80
Beam Angle	30°
Illumination Diagram	

Packing Info

Pcs/Carton	10
Barcode	5291889061403
HS Code	9405409900

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

