

04 Recessed Spots Adjustable LED>The 3x1W Square Spots Aluminium

## 51103L/D/15



3W LED adjustable recessed spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions




### Gallery



### Must be ordered separately



89004





89004T

## Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The 3x1W Square Spots Aluminium
Order Code	51103L/D/15
Colour	Aluminium
Material	Natural Aluminium
Shape	Rectangular
Length	80mm
Width	80mm
Height	40mm
Cutout Hole Diameter	70mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	6000K
Lumen Output	180lm
Light Efficiency	60lm/W
Beam Angle	15°
Illumination Diagram	

#### Packing Info

Pcs/Carton	60
Barcode	5291889019435
HS Code	9405409900

#### Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to  
**one light!**

**one**  
LIGHT

