



Product Datasheet

04 Recessed Spots Adjustable LED>The 7W COB Range

51107/AL/W



7W LED adjustable recessed spot, IP20.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.
















Downloads





Dimensions



Gallery



Must be ordered separately



89015A

Item Group 04 Recessed Spots Adjustable LED Family The 7W COB Range 51107/AL/W Order Code Colour Aluminium Material Aluminium Shape Circular Height 80mm Diameter 80mm **Cutout Hole Diameter** 70mm **Recessed Ceiling** Yes Depth Required 90mm Indoor Yes

1 Direction

Electrical Characteristics

Adjustable

Physical Specification

Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	<u> </u>
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Edison
LED Number	1
Cable Length	40cm
F Mark	F

Colour Temperature 3000K Lumen Output 513lm Light Efficiency 73,28lm/W CRI 80 Beam Angle 30°

Packing Info		
Box Length	11cm	
Box Width	11cm	
Box Height	8,5cm	
Box Weight	0,24Kg	
Pcs/Carton	30	
Barcode	5291889036340	
HS Code	9405409900	

Certification & Warranty Warranty Weee Directive 2 Years Yes



Illumination Diagram

