

04 Recessed Spots Adjustable LED>The 1W Mini Square Natural Aluminium

## 51301AL/D/35



3x1W LED adjustable recessed spot, mini series range, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions




### Gallery



### Must be ordered separately



89004



89004T

## Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 1W Mini Square Natural Aluminium
Order Code	51301AL/D/35
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Acrylic
Shape	Rectangular
Length	165mm
Width	60mm
Height	30mm
Cutout Hole Width	155mm
Cutout Hole Length	53mm
Recessed Ceiling	Yes
Depth Required	40mm
Indoor	Yes
Adjustable	2 Directions

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature 6000K

Lumen Output 3x60lm

Light Efficiency 60lm/W

Beam Angle 35°

Illumination Diagram 

## Packing Info

Pcs/Carton 50

Barcode 5291889015925

HS Code 9405409900

## Certification & Warranty

Warranty 2 Years

Weee Directive Yes

switch to  
**one light!**

one  
LIGHT

