

04 Recessed Spots Adjustable LED > The 1W Mini Square Natural Aluminium 51401AL/W/35



4x1W LED adjustable recessed spot, mini series range, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions




Gallery



Must be ordered separately



89004





89004T

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 1W Mini Square Natural Aluminium
Order Code	51401AL/W/35
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Acrylic
Shape	Rectangular
Length	113mm
Width	113mm
Height	30mm
Cutout Hole Width	105mm
Cutout Hole Length	105mm
Recessed Ceiling	Yes
Depth Required	40mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	4W
IP Rating	IP20
Light Source	LED built in
LED Number	4
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature 3000K

Lumen Output 4x45lm

Light Efficiency 45lm/W

Beam Angle 35°

Illumination Diagram 

Packing Info

Pcs/Carton 50

Barcode 5291889015956

HS Code 9405409900

Certification & Warranty

Warranty 2 Years

Weee Directive Yes

switch to
one light!

one
LIGHT

