

14 Plafo>The Ultra Slim LED Panel Plafo

## 62030F/W/C



30W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	14 Plafo
Family	The Ultra Slim LED Panel Plafo
Order Code	62030F/W/C
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Circular

Height	18mm
Diameter	330mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No
IK Rating	4

## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP40
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
IP Rating	IP40
Light Source	LED built in
LED Type	SMD 4014
LED Brand	Sanan
F Mark	

Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	30W
Constant Current	Yes
IP Rating	IP20
Dimmable	No

#### Illumination Data

Colour Temperature	4000K
Lumen Output	2400lm
Light Efficiency	80lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Weight	1.000kg
Pcs/Carton	10
Barcode	5291889051763
HS Code	9405413990

#### Certification & Warranty

Warranty	2 Years
----------	---------

switch to  
**one light!**

one  
LIGHT

