

14 Plafo>The Ultra Slim LED Panel Plafo

62038F/W/C



38W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery






Physical Specification

Item Group	14 Plafo
Family	The Ultra Slim LED Panel Plafo
Order Code	62038F/W/C
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Circular

Height	18mm
Diameter	450mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No
IK Rating	4

Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	38W
IP Rating	IP40
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
IP Rating	IP40
Light Source	LED built in
LED Type	SMD 4014
LED Brand	Sanan
F Mark	

Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	38W
Constant Current	Yes
IP Rating	IP20
Dimmable	No

Illumination Data

Colour Temperature	4000K
Lumen Output	3000lm
Light Efficiency	78,9lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	1.820kg
Pcs/Carton	5
Barcode	5291889051794
HS Code	9405413990

Certification & Warranty

Warranty	2 Years
----------	---------

switch to
one light!

one
LIGHT

