




Product Datasheet

14 Plafo>The LED Panel Plafo Square

62122F/W/W



22W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









I)ıma	ane	ınn
Dime	7110	וטו

l 220mm	I
	220mm

Physical Specification

Item Group	14 Plafo
Family	The LED Panel Plafo Square
Order Code	62122F/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	220mm
Width	220mm
Height	39mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Gear

Power(Watts)	12-21W
Power Factor	0,9
Constant Current	Yes
700mA	18-30V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	45°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Cable
Brand	KEGU
llumination Data	
Colour Temperature	3000K
Lumen Output	1870lm
Light Efficiency	67,72lm/W
CRI	80
Illumination Diagram	
Packing Info	
Box Length	23,5cm
Box Width	
	22cm
Box Height	22cm 4,5cm
Box Height	4,5cm
Box Height Box Weight	4,5cm 1.100kg
Box Height Box Weight Pcs/Carton	4,5cm 1.100kg 10

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



