

14 Plafo>The LED Panel Plafo Round

62130F/G/C



30W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Plafo
Family	The LED Panel Plafo Round
Order Code	62130F/G/C
Colour	Grey
Material	Die Cast
Shape	Circular
Height	39mm
Diameter	300mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

30W

IP Rating

IP40

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

1000mA

Voltage

34,9V

Safety Class



Power(Watts)

24,43W

IP Rating

IP40

Light Source

LED built in

LED Type

SMD 2016

LED Brand

Sanan

F Mark



Gear

Gear Type

Led Driver

Input Voltage


220-240V

50 Hz


Yes

60 Hz

Yes

Power(Watts)	18-28W
Power Factor	0,9
Constant Current	Yes
1000mA	18-28V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	KEGU

Illumination Data

Colour Temperature	4000K
Lumen Output	2550lm
Light Efficiency	65,56lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	32cm
Box Width	31,5cm
Box Height	4,5cm
Box Weight	1.230000kg
Pcs/Carton	10
Barcode	5291889034810
HS Code	9405413990

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

