

14 Plafo>LED Aluminium Panel Range Backlit

62140AE/W/C



40W 60x60cm LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Plafo
Family	LED Aluminium Panel Range Backlit
Order Code	62140AE/W/C
Colour	White
Material	Aluminium
Shape	Rectangular
Length	600mm
Width	600mm
Height	42mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

40W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Safety Class



Power(Watts)

38W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Constant Current


Yes

1000mA

25-40V

IP Rating

IP20

Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable

Illumination Data

Colour Temperature	4000K
Lumen Output	4000lm
Light Efficiency	100lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	65cm
Box Width	65cm
Box Height	8,5cm
Box Weight	2.600kg
Pcs/Carton	4
Carton Length	66cm
Carton Width	36cm
Carton Height	66cm
Carton Weight	15,8Kg
Barcode	5291889052159
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

