

## **Product** Datasheet

www.1-light.eu

#### 14 Plafo>Decorative Plafo

### 62182A/BAN/W



50W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Complete with 1300mA driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads Dimensions Dimensions Dimensions I 600mm | 87mm

#### **Physical Specification**

Item Group	14 Plafo
Family	Decorative Plafo
Order Code	62182A/BAN/W
Colour	Brushed Anthracite
Material	Aluminium
Shape	Circular
Height	87mm

Diameter	600mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No



Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	1300mA
Voltage	37V
Power(Watts)	48,1W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Bridgelux
F Mark	F

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	42,9-59,8W



Power Factor	0,9
Constant Current	Yes
1300mA	33-46V
IP Rating	IP20
Safety Class	
Dimmable	No
Output Terminal	Cable
Brand	Kegu

#### Illumination Data

Colour Temperature	3000K
Lumen Output	4250lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Weight	5.700kg
Pcs/Carton	1
Barcode	5291889065999
HS Code	9405413990



Warranty	3 Years
Weee Directive	Yes

# switch to one light!



