



# **Product Datasheet**

### New 2025 Edition 2>Wall & Ceiling LED

## 65004D/B/W



3x5W COB LED adjustable ceiling light.

Supplied with 500mA driver.Complete with Black, Brass & White reflectors.

Complies with standard EN60598-1 and any other specific standards.






Downloads







Dimensions



#### **Physical Specification**

Item Group	New 2025 Edition 2
Family	Wall & Ceiling LED
Order Code	65004D/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	100mm
Diameter	30mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	2 Directions

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3x5W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
IP Rating	IP20
IP Rating  Light Source	IP20 LED built in
Light Source	LED built in
Light Source LED Type	LED built in
Light Source LED Type	LED built in
Light Source  LED Type  LED Number	LED built in
Light Source  LED Type  LED Number	LED built in  COB  1
Light Source  LED Type  LED Number  Gear  Gear Type	LED built in  COB  1  Led Driver
Light Source  LED Type  LED Number  Gear  Gear Type  Input Voltage	LED built in  COB  1  Led Driver  220-240V
Light Source  LED Type  LED Number  Gear  Gear  John Source  John Sour	LED built in  COB  1  Led Driver  220-240V  Yes
Light Source  LED Type  LED Number  Gear  Gear  John Source  Gear  Gear Type  Input Voltage  50 Hz  60 Hz	LED built in  COB  1  Led Driver  220-240V  Yes  Yes
Light Source  LED Type  LED Number  Gear  Gear  John Source  Gear  Gear Type  Input Voltage  50 Hz  Constant Current	LED built in  COB  1  Led Driver  220-240V  Yes  Yes  Yes
Light Source  LED Type  LED Number  Gear  Gear Type  Input Voltage  50 Hz  Constant Current  500mA	LED built in  COB  1  Led Driver  220-240V  Yes  Yes  Yes  Your solution in the second of the second

# Colour Temperature3000KLumen Output1350lmLight Efficiency90lm/WCRI90

Packing Info	
Box Weight	1.080kg
Pcs/Carton	8
Barcode	5291889082132
HS Code	9405413990

#### Certification & Warranty

Illumination Data

Illumination Diagram

Warranty 5 years



