



Product Datasheet

09 Track Lights>LED Linear Track Light

65025T/W/C




LED Linear track light, high lumen output ideal for shops and showrooms.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



30r



40001A/W	40002A/W	40003A/W

Physical Specification	
Item Group	09 Track Lights
Family	LED Linear Track Light
Order Code	65025T/W/C
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular

Length	1210mm
Width	30mm
Height	30mm
Track mounted	Yes
Indoor	Yes
Adjustable	No
lectrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	25W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	600mA
Voltage	40V
Power(Watts)	24W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
Gear	
Gear Type	Led Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	18-24W
Power Factor	0,9
Constant Current	Yes
600mA	30-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
llumination Data	
Colour Temperature	4000K
	4000K 2500lm
Colour Temperature	
Colour Temperature Lumen Output	2500lm
Colour Temperature Lumen Output Light Efficiency	2500lm 100lm/W
Colour Temperature Lumen Output Light Efficiency CRI	2500lm 100lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	2500lm 100lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	2500lm 100lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	2500lm 100lm/W 80 110°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	2500lm 100lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	2500lm 100lm/W 80 110°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Box Weight	2500lm 100lm/W 80 110° 1.083kg
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Box Weight Pcs/Carton	2500lm 100lm/W 80 110° 1.083kg 12
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Box Weight Pcs/Carton Barcode	2500lm 100lm/W 80 110° 1.083kg 12 5291889061946

Certification & Warranty

Warranty

3 years

Yes

Weee Directive

switch to one light!

