

13 Wall & Ceiling LED>The COB Moving Heads Spots Die cast

65110F/W/W



4X10W COB Moving head spot suitable for ceiling installation, IP20

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The COB Moving Heads Spots Die cast
Order Code	65110F/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	255mm

Width	255mm
Height	60mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	4X10W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	1000mA
Voltage	36V
Power(Watts)	4x9W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Epistar
LED Number	4

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	27-42W
Power Factor	0,9
Constant Current	Yes
1000mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	4X900lm
Light Efficiency	90lm/W
CRI	80
Beam Angle	60
Illumination Diagram	

Packing Info

Box Weight	2.225kg
Pcs/Carton	4
Barcode	5291889054030
HS Code	9405409900

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

