



Product Datasheet

17 Hotel & Bedroom>Reading Spots

65144/B/W



3W SMD LED +6W backlight bedside adjustable fitting with 2 switches, IP20.

Complete with 700mA+550mA drivers. Complete with black, brass & white reflectors.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



Gallery



Physical Specification

| Item Group | 17 Hotel & Bedroom |
|--------------|--------------------|
| Family | Reading Spots |
| Order Code | 65144/B/W |
| Colour | Black |
| Material | Metal + Aluminium |
| Shape | Rectangular |
| Surface Wall | Yes |
| | |

| Indoor | Yes |
|----------------------------|------------------|
| Adjustable | 2 Directions |
| | |
| Flactuical Characteristics | |
| Electrical Characteristics | |
| Gear | Built In |
| | |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | |
| Power(Watts) | 3W+6W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark | F |
| | |
| Fitting | |
| Input Type | Constant Current |
| Voltage | 2,8V + 9V |
| Safety Class | |
| Power(Watts) | 1,96W + 4,5W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD |
| LED Brand | Bridgelux |
| | |
| Gear | |
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| | |

| 60 Hz | Yes |
|--------------------------|---------------|
| Power(Watts) | 1,6-3W |
| Power Factor | 0,5 |
| Constant Current | Yes |
| IP Rating | IP20 |
| Safety Class | |
| Dimmable | No |
| humination Data | |
| lumination Data | |
| Colour Temperature | 3000K |
| Lumen Output | 150lm + 420lm |
| CRI | 90 |
| Illumination Diagram | |
| | |
| Packing Info | |
| | |
| Box Weight | 0.920kg |
| Pcs/Carton | 10 |
| Barcode | 5291889069997 |
| HS Code | 9405413990 |
| | |
| Certification & Warranty | |
| | |
| Warranty | 2 years |

switch to one light!

