

09 Track Lights>The COB Track Light Range Aluminium

## 65612NT/W/C



30W track spot with COB LED, ideal for shops and showrooms.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40001A/W



40002A/W



40003A/W

Physical Specification

Item Group

09 Track Lights

Family

The COB Track Light Range Aluminium

Order Code

65612NT/W/C

Colour

White

Material

Aluminium

Shape


Circular


Height

123mm


Diameter	90mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

#### Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting	
Input Type	Constant Current
Input Current	750mA
Voltage	38V
Safety Class	
Power(Watts)	28,5W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux

Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	25-30W
Power Factor	0,9
Constant Current	Yes
750mA	33-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Lifud
Protection	Short Circuit Protection

#### Illumination Data

Colour Temperature	4000K
Lumen Output	2700lm
Light Efficiency	90lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

#### Packing Info

Box Length	25cm
Box Width	10cm
Box Height	10cm
Box Weight	1.140kg
Pcs/Carton	10
Barcode	5291889057901

HS Code

9405413990

Certification & Warranty

Warranty

3 years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

