

09 Track Lights>The COB Track Light Range Aluminium

65616T/B/W



50W COB LED track spot with, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Related items



40001A/B



40002A/B



40003A/B

Physical Specification

Item Group

09 Track Lights

Family

The COB Track Light Range Aluminium

Order Code	65616T/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	170mm
Diameter	107mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting	
Input Type	Constant Current
Input Current	1200mA
Voltage	40V
Safety Class	
Power(Watts)	48W
IP Rating	IP20
Light Source	LED built in

LED Type	COB
LED Brand	Sanan
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	32,4-50,4W
Power Factor	0,9
Constant Current	Yes
1200mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Lifud
Protection	Short Circuit Protection

Illumination Data

Colour Temperature	3000K
Lumen Output	4000lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Length	27cm
------------	------

Box Width	17,5cm
Box Height	27,5cm
Box Weight	1.750kg
Pcs/Carton	6
Barcode	5291889050117
HS Code	9405413990

Certification & Warranty

Warranty

2 years

switch to
one light!

one
LIGHT

