

09 Track Lights>The Honeycomb Range

65652T/B/C



30W COB LED Track Spot with honeycomb

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40002A/B





40003A/B

Physical Specification

| | |
|------------|---------------------|
| Item Group | 09 Track Lights |
| Family | The Honeycomb Range |
| Order Code | 65652T/B/C |
| Colour | Black |
| Material | Die Cast |
| Shape | Circular |
| Height | 240mm |

| | |
|---------------|--------------|
| Diameter | 140mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |

Electrical Characteristics


| Gear | Built In |
|------------------|---|
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 30W |
| IP Rating | IP20 |
| Light Source | Replaceable lamp |
| Number of Lamps | 1 |
| Dimmable | No |
| F Mark |  |

| Fitting | |
|---------------|------------------|
| Input Type | Constant Current |
| Input Current | 700mA |
| Voltage | 40V |
| Power(Watts) | 28W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Lumileds |

| Gear | |
|------|--|
|------|--|

| | |
|------------------|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 2-26,6W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 700mA | 3-38V |
| IP Rating | IP20 |
| Safety Class |  |
| Brand | Rxpower |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 4000K |
| Lumen Output | 1800lm |
| Light Efficiency | 60lm/W |
| CRI | 80 |
| Beam Angle | 24° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Length | 16,5cm |
| Box Width | 16,5cm |
| Box Height | 23,5cm |
| Box Weight | 1,15Kg |
| Pcs/Carton | 12 |
| Barcode | 5291889061588 |
| HS Code | 9405409900 |

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

