

Product Datasheet

www.1-light.eu

09 Track Lights>The Shop PRO Range

65654BT/W/C



30W COB LED track spot with, ideal for shops and showrooms.

Complete with 750mA driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Related items







40003A/W

Physical Specification

Item Group	09 Track Lights
Family	The Shop PRO Range
Order Code	65654BT/W/C
Colour	White
Material	Aluminium
Shape	Circular
Height	111mm

Diameter	100mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions
ectrical Characteristics	
Gear	Built In
Fillian - Driver	
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	750mA
Voltage	38V
Power(Watts)	28,5W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Sanan
LED Number	1
Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	22,5-30W
Power Factor	0,9
Constant Current	Yes
750mA	30-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	KGP
Illumination Data	
	400014
Illumination Data Colour Temperature	4000K
	4000K 2700lm
Colour Temperature	
Colour Temperature Lumen Output	2700lm
Colour Temperature Lumen Output Light Efficiency	2700lm 90lm/W
Colour Temperature Lumen Output Light Efficiency CRI	2700lm 90lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	2700lm 90lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	2700lm 90lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	2700lm 90lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	2700lm 90lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	2700lm 90lm/W 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Pcs/Carton	2700lm 90lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Pcs/Carton Barcode	2700lm 90lm/W 90 38° 10 5291889067702

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes



