

20 Garden & Underwater>LED Bollards Die cast

67036/G/W



12W LED Bollard, IP54 for Garden illumination.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	20 Garden & Underwater
Family	LED Bollards Die cast
Order Code	67036/G/W
Colour	Grey
Material	Die Cast
Diffuser Material	PC
Shape	Circular
Height	260mm
Diameter	120mm
Surface Wall	Yes
Outdoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

12W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

350mA

Voltage

32V

Power(Watts)

11,2W

IP Rating

IP54

Light Source

LED built in

LED Brand

Cree

Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

12W

Power Factor

0,9

Constant Current

Yes

350mA
IP Rating
Safety Class
Dimmable
Ambient Temp
Housing Material
Output Terminal
Brand
Protection

32-35V
IP20

No
-20~55°C
Plastic
Connector
HEP
Short Circuit

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
450lm
37,5lm/W
80
50°


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

24,5cm
14,5cm
20,5cm
2.450kg
4
5291889039167
9405413990

Certification & Warranty

Warranty

2 years

Weee Directive

Yes

switch to
one light!

one
LIGHT

