




## **Product Datasheet**

13 Wall & Ceiling LED>Outdoor Surface Round Points Die cast

67128/G/BL



1,5W LED wall and ceiling light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions



#### **Physical Specification**

Item Group	13 Wall & Ceiling LED
Family	Outdoor Surface Round Points Die cast
Order Code	67128/G/BL
Colour	Grey
Material	Die Cast
Shape	Circular
Height	51mm
Diameter	135mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	1,5W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	1,5W
Power(Watts)  IP Rating	1,5W IP54
IP Rating	IP54
IP Rating	IP54
IP Rating Light Source	IP54
IP Rating Light Source Gear	IP54 LED built in
IP Rating Light Source  Gear  Gear Type	IP54 LED built in Led Driver
IP Rating Light Source  Gear  Gear Type Input Voltage	Led Driver  220-240V
IP Rating Light Source  Gear  Gear Type Input Voltage  50 Hz	Led Driver  220-240V Yes
IP Rating Light Source  Gear  Gear Type Input Voltage  50 Hz  60 Hz	LED built in  Led Driver  220-240V  Yes  Yes
IP Rating Light Source  Gear  Gear Type Input Voltage  50 Hz  60 Hz  Power(Watts)	Led Driver  220-240V  Yes  Yes  2W
IP Rating Light Source  Gear  Gear Type Input Voltage  50 Hz  60 Hz  Power(Watts)  Constant Current	Led Driver  220-240V  Yes  Yes  2W  Yes
IP Rating Light Source  Gear  Gear Type Input Voltage  50 Hz  60 Hz  Power(Watts)  Constant Current  IP Rating	Led Driver  220-240V  Yes  Yes  2W  Yes

#### Illumination Data

Colour Temperature

Blue

Illumination Diagram

### Packing Info

Box Weight 0.433kg

Pcs/Carton 30

Barcode 5291889008156

HS Code 9405409900

### Certification & Warranty

Warranty 2 Years

Weee Directive Yes

# switch to one light!

