



Product Datasheet

13 Wall & Ceiling LED>Indoor/Outdoor Light Points

67220A/AL/D



1W LED wall and ceiling light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Indoor/Outdoor Light Points
Order Code	67220A/AL/D
Colour	Aluminium
Material	Aluminium
Shape	Circular
Height	90mm
Diameter	80mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	1W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	1W
Power(Watts) IP Rating	1W IP54
IP Rating	IP54
IP Rating	IP54
IP Rating Light Source	IP54
IP Rating Light Source Gear	IP54 LED built in
IP Rating Light Source Gear Gear Type	LED built in Led Driver
IP Rating Light Source Gear Gear Type Input Voltage	LED built in Led Driver 100-240V
IP Rating Light Source Gear Gear Type Input Voltage 50 Hz	LED built in Led Driver 100-240V Yes
IP Rating Light Source Gear Gear Type Input Voltage 50 Hz 60 Hz	LED built in Led Driver 100-240V Yes Yes
IP Rating Light Source Gear Gear Type Input Voltage 50 Hz 60 Hz Power(Watts)	Led Driver 100-240V Yes Yes 1W
IP Rating Light Source Gear Gear Type Input Voltage 50 Hz 60 Hz Power(Watts) Constant Current	LED built in Led Driver 100-240V Yes Yes 1W Yes
IP Rating Light Source Gear Gear Type Input Voltage 50 Hz 60 Hz Power(Watts) Constant Current IP Rating	LED built in Led Driver 100-240V Yes Yes 1W Yes

Illumination Data

Colour Temperature

6000K

Illumination Diagram

Packing Info

Box Weight 0.450kg

Pcs/Carton 20

Barcode 5291889018735

HS Code 9405409900

Certification & Warranty

Warranty 2 Years

Weee Directive Yes

switch to one light!

