

14 Plafo>Outdoor Slim LED Plafo Die cast

**67362/W/W**



20W LED slim plafo, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions




Physical Specification

Item Group	14 Plafo
Family	Outdoor Slim LED Plafo Die cast
Order Code	67362/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	46mm
Diameter	238mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No


Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		20W	
IP Rating		IP54	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		500mA	
Voltage		30-42V	
IP Rating		IP54	
Light Source		LED built in	
LED Type		SMD 3014	
LED Brand		Edison	
LED Number		264	
F Mark			

Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		15-21W	

Power Factor	0,9
Constant Current	Yes
500mA	30-42V DC
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise

### Illumination Data

Colour Temperature	3000K
Lumen Output	1600lm
Light Efficiency	75lm/W
CRI	80
Beam Angle	120°
Illumination Diagram	

### Packing Info

Box Length	25,5cm
Box Width	25,5cm
Box Height	6,5cm
Box Weight	1.025kg
Pcs/Carton	8
Barcode	5291889040255
HS Code	9405413990

### Certification & Warranty

switch to  
**one light!**

one  
LIGHT

