

14 Plafo > Outdoor Slim LED Plafo Die cast

## 67363A/AN/W



30W LED slim plafo, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	14 Plafo
Family	Outdoor Slim LED Plafo Die cast
Order Code	67363A/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	300mm
Width	300mm
Height	49mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable

No

## Electrical Characteristics

Gear

Built In

### Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

30W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



### Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

40V

Power(Watts)

28W

IP Rating

IP54

Light Source

LED built in

LED Type

SMD 3014

LED Brand

Edison

LED Number

299

F Mark




### Gear

Gear Type


Led Driver

Input Voltage

220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	20-30W
Power Factor	0,9
Constant Current	Yes
700mA	28-43V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise

#### Illumination Data

Colour Temperature	3000K
Lumen Output	2500lm
Light Efficiency	83,33lm/W
CRI	80
Beam Angle	120°
Illumination Diagram	

#### Packing Info

Box Length	25,5cm
Box Width	25,5cm
Box Height	6,5cm
Box Weight	1.733kg
Pcs/Carton	6
Barcode	5291889040804
HS Code	9405413990

Warranty

2 years

switch to  
**one light!**

one  
LIGHT

