

22 Emergency Lights > Emergency LED Plafo

67366E/W/W



12W Emergency LED plafo light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	22 Emergency Lights
Family	Emergency LED Plafo
Order Code	67366E/W/W
Colour	White
Material	PC
Diffuser Material	PC
Shape	Circular
Height	50mm
Diameter	250mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable No

IK Rating 8

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage 220-240V

50 Hz Yes

60 Hz Yes

Safety Class 

Power(Watts) 12W

IP Rating IP54

Light Source LED built in

Dimmable No

F Mark 

Fitting

Input Type Constant Current

Input Current 150mA

Voltage 80V

Power(Watts) 12W


IP Rating IP54

Light Source LED built in

LED Type SMD 2835

LED Brand Epistar

LED Number 216


F Mark 

Gear

Gear Type Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	12W
Power Factor	0,9
Constant Current	Yes
150mA	80v
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector

Illumination Data

Colour Temperature	3000K
Lumen Output	960lm
Light Efficiency	80lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	26cm
Box Width	6cm
Box Height	26cm
Box Weight	0.945kg
Pcs/Carton	20
Carton Length	60cm
Carton Width	54cm
Carton Height	29cm
Carton Weight	19,1Kg

Barcode

5291889043126

HS Code

9405114090

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

