

14 Plafo>Outdoor Project LED Plafo Die cast

67384/AN/W



30W LED slim plafo, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions




Physical Specification

Item Group	14 Plafo
Family	Outdoor Project LED Plafo Die cast
Order Code	67384/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Circular
Height	50mm
Diameter	340mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No


Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		30W	
IP Rating		IP54	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		700mA	
Voltage		55V	
Power(Watts)		19,25W	
IP Rating		IP54	
Light Source		LED built in	
LED Type		SMD 3014	
LED Brand		Edison	
LED Number		299	
F Mark			

Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	

Power(Watts)	21-29,4W
Power Factor	0,9
Constant Current	Yes
700mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	2500lm
Light Efficiency	83,33lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	25,5cm
Box Width	25,5cm
Box Height	6,5cm
Box Weight	2.300kg
Pcs/Carton	4
Barcode	5291889046608
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

