

Product Datasheet

www.1-light.eu

13 Wall & Ceiling LED>The Retro Opal Range Die cast + PC

67424/W/W



9W LED wall light, IP54, ideal for both indoor and outdoor installation.

Complete with 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Gallery



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The Retro Opal Range Die cast + PC
Order Code	67424/W/W
Colour	White
Material	Die Cast
Diffuser Material	PC
Shape	Rectangular

Length	190mm
Width	80mm
Height	65mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No
Electrical Characteristics	
_	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	9W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	24V
Safety Class	
Power(Watts)	8,4W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 3528

LED Brand	Edison
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4,2-8,4W
Power Factor	0,5
Constant Current	Yes
350mA	12-24V
IP Rating	IP20
Safety Class	
Brand	Eaglerise
Protection	0
Illumination Data	
Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	66,67lm/W
CRI	80
Illumination Diagram	
Docking Info	
Packing Info	
Box Length	9,5cm
Box Width	9cm
Box Height	20cm
Box Weight	0.741kg
Pcs/Carton	12

Barcode	5291889053354
HS Code	9405409900

Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes



