

14 Plafo>The LED Slim Plafo Range

67448A/W/W



36W LED slim plafo, suitable for residential and commercial application, IP20.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Plafo
Family	The LED Slim Plafo Range
Order Code	67448A/W/W
Colour	White
Material	Metal
Diffuser Material	Plastic
Shape	Circular
Height	60mm
Diameter	500mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

36W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

900mA

Voltage

40V

Power(Watts)

34W

IP Rating

IP20

Light Source

LED built in

LED Brand

Hongli

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz


Yes

Power(Watts)


22,5-37,8W

Power Factor

0,9

Constant Current	Yes
900mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector

Illumination Data

Colour Temperature	3000K
Lumen Output	2700lm
Light Efficiency	75lm/W
CRI	85
Illumination Diagram	

Packing Info

Box Length	50cm
Box Width	50cm
Box Height	7,5cm
Box Weight	2.280kg
Pcs/Carton	5
Barcode	5291889059202
HS Code	9405409900

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

