

13 Wall & Ceiling LED>Indoor/Outdoor Wall Lights Die cast

67480A/AN/W



6W LED Wall and Ceiling Dark light.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

| | |
|--------------|-------------------------------------|
| Item Group | 13 Wall & Ceiling LED |
| Family | Indoor/Outdoor Wall Lights Die cast |
| Order Code | 67480A/AN/W |
| Colour | Anthracite |
| Material | Die Cast |
| Shape | Rectangular |
| Length | 122mm |
| Width | 107mm |
| Height | 76mm |
| Surface Wall | Yes |
| Indoor | Yes |
| Outdoor | Yes |

Adjustable

No

IK Rating

6

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

6W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

500mA

Voltage

10V

Power(Watts)

5W

IP Rating

IP65

Light Source

LED built in

LED Type

COB

LED Brand

Cree

Gear

Gear Type


Led Driver

Input Voltage


220-240V

50 Hz

Yes

| | |
|------------------|---|
| 60 Hz | Yes |
| Power(Watts) | 3-6W |
| Power Factor | 0,5 |
| Constant Current | Yes |
| 500mA | 6-12V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Cable |
| Brand | Eaglerise |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 480lm |
| Light Efficiency | 80lm/W |
| CRI | 80 |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Weight | 1.075kg |
| Pcs/Carton | 8 |
| Barcode | 5291889065906 |
| HS Code | 9405409900 |

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

