e

Product Datasheet

www.1-light.eu

New 2025 Edition 2>Garden & Underwater

67508A/AN/C



8W LED Bollard, IP65 for garden illumination.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads	Dimensions
	100mm 120mm
Physical Specification	

Physical	Specification

Item Group	New 2025 Edition 2
Family	Garden & Underwater
Order Code	67508A/AN/C
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Height	700mm

Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	No
IK Rating	6



Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	500mA
Light Source	LED built in
LED Type	SMD
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Output	500m /

Output	500mA
Dimmable	No
Illumination Data	
Colour Temperature	4000K
Lumen Output	600lm



Light Efficiency	75lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	3.400kg
Pcs/Carton	2
Barcode	5291889080213

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to one light!



