

20 Garden & Underwater>LED Path Lights Die cast

67508/AN/W



6W LED Bollard, IP65 for Garden illumination.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	20 Garden & Underwater
Family	LED Path Lights Die cast
Order Code	67508/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	90mm
Width	40mm
Height	700mm
Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	No

IK Rating

6

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

6W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

500mA

Voltage

8,77V

Power(Watts)

4,38W

IP Rating

IP65

Light Source

LED built in

LED Type

COB

LED Brand

Cree

Gear

Gear Type

Led Driver

Input Voltage


220-240V

50 Hz


Yes

60 Hz

Yes

Power(Watts)	3-6W
Power Factor	0,9
Constant Current	Yes
500mA	6-12V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	55°C
Operating Temp	85°C
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise
Protection	Short Circuit

Illumination Data

Colour Temperature	3000K
Lumen Output	480lm
Light Efficiency	80lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	3.750kg
Pcs/Carton	2
Barcode	5291889069348
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

