

New 2025 Edition 2>Garden & Underwater

67508B/AN/C



8W LED Bollard, IP65 for garden illumination complete with 2 x SCHUKO sockets 1000W each.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions



Physical Specification

| | |
|----------------------|---------------------|
| Item Group | New 2025 Edition 2 |
| Family | Garden & Underwater |
| Order Code | 67508B/AN/C |
| Colour | Anthracite |
| Material | Die Cast |
| Shape | Rectangular |
| Height | 700mm |
| Surface Floor/Ground | Yes |
| Outdoor | Yes |
| Adjustable | No |
| IK Rating | 6 |

| Gear | | Built In | |
|------------------|--|---|--|
| Fitting + Driver | | | |
| Input Voltage | | 220-240V | |
| 50 Hz | | Yes | |
| 60 Hz | | Yes | |
| Safety Class | |  | |
| Power(Watts) | | 8W | |
| IP Rating | | IP65 | |
| Light Source | | LED built in | |
| Dimmable | | No | |
| F Mark | |  | |

| Fitting | | | |
|---------------|--|------------------|--|
| Input Type | | Constant Current | |
| Input Current | | 500mA | |
| Light Source | | LED built in | |
| LED Type | | SMD | |

| Gear | | | |
|---------------|--|------------|--|
| Gear Type | | Led Driver | |
| Input Voltage | | 220-240V | |
| 50 Hz | | Yes | |
| 60 Hz | | Yes | |
| Output | | 500mA | |
| Dimmable | | No | |

Illumination Data

| | | | |
|--------------------|--|-------|--|
| Colour Temperature | | 4000K | |
| Lumen Output | | 600lm | |

Light Efficiency

75lm/W

CRI

80

Illumination Diagram



Packing Info

Barcode

5291889080237

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

