

13 Wall & Ceiling LED>Linear Outdoor Series Simple Sided

67526A3/W/W



13W Wall light, IP65.

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Linear Outdoor Series Simple Sided
Order Code	67526A3/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	500mm
Width	76mm
Height	66mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	No
IK Rating	7

No
7

Electrical Characteristics

Gear

Built In

Fitting + Driver


Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

220-240V
Yes
Yes

13W
IP65
LED built in
No


Fitting


Input Type
Input Current
Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand

Constant Current
700mA
16V

11,2W
IP65
LED built in
SMD 3030
Osram


Gear

Gear Type
Input Voltage

Led Driver
220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	7,7-12,95W
Power Factor	0,9
Constant Current	Yes
700mA	11-18,5v
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Eaglerise
Protection	0

Illumination Data

Colour Temperature	3000K
Lumen Output	780lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	2.520kg
Pcs/Carton	4
Barcode	5291889075868
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

