



# **Product Datasheet**

13 Wall & Ceiling LED>Linear Outdoor Series Double Sided

## 67526B2/W/W



2x10W Wall light, IP65.

Complete with 500mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



#### **Physical Specification**

Item Group	13 Wall & Ceiling LED
Family	Linear Outdoor Series Double Sided
Order Code	67526B2/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	380mm
Width	76mm
Height	66mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	No
IK Rating	7
Floatrical Charactaristics	
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x10W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	34,8V
Power(Watts)	17,4W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 3030
LED Brand	Osram
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
Power(Watts)	14-21W
Power Factor	0,9
Constant Current	Yes
500mA	28-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Eaglerise
Protection	0
Ilumination Data	
Ilumination Data	
Ilumination Data  Colour Temperature	3000K
	3000K 1200lm
Colour Temperature	
Colour Temperature  Lumen Output	1200lm
Colour Temperature  Lumen Output  Light Efficiency	1200lm 120lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	1200lm 120lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	1200lm 120lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	1200lm 120lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	1200lm 120lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	120lm/W 80
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Packing Info  Box Weight	1200lm  120lm/W  80  1.950kg
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Packing Info  Box Weight  Pcs/Carton	120lm/W 80 1.950kg 6

### Certification & Warranty

# switch to one light!

