

19 Wall Recessed & Inground>The Dark Light Inground Range Aluminium

69056C/W



9W COB LED inground, IP67.

Requires 24V driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89015V



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	The Dark Light Inground Range Aluminium
Order Code	69056C/W
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Glass

Shape	Circular
Height	80mm
Diameter	85mm
Cutout Hole Diameter	70mm
Inground	Yes
Depth Required	135mm + 300mm drainage
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	8

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	9W
IP Rating	IP67
Light Source	LED built in
LED Type	COB
LED Brand	Prolight
Cable Length	200cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	720lm
Light Efficiency	80lm/W
CRI	90

Beam Angle

38°

Illumination Diagram



Dark Light

Yes

Packing Info

Box Weight

0.679kg

Pcs/Carton

24

Barcode

5291889064299

HS Code

9405413990

Certification & Warranty

Warranty

3 years

switch to
one light!

one
LIGHT

