

Special Offers > Industrial & Floodlights

70106A/C



40W LED street light. High lumen output ideal for replacement of old HPS and mercury street lighting fittings.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	Special Offers
Family	Industrial & Floodlights
Order Code	70106A/C
Colour	Grey
Material	Die Cast
Shape	Rectangular
Length	644mm
Width	303mm
Height	132mm
Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

40W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

500mA

Voltage

80V

Power(Watts)

40W

IP Rating

IP65

Light Source

LED built in

LED Type

COB

LED Brand

Cree

LED Number

24

Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz


Yes

60 Hz


Yes

Power(Watts)

40W

Power Factor	0,9
Constant Current	Yes
500mA	80V
IP Rating	IP65
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector

Illumination Data

Colour Temperature	4000K
Lumen Output	3000lm
Light Efficiency	75lm/W
CRI	70
Beam Angle	140° x 70°
Illumination Diagram	

Packing Info

Box Weight	7Kg
Pcs/Carton	1
Barcode	5291889037880
HS Code	9405409900

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

