

21 Industrial & Floodlights > AC LED Floodlights 10-50W

7028CA/B/D



10W AC LED flood light with adjustable mounting bracket.

IP65 rated for outdoor use.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	21 Industrial & Floodlights
Family	AC LED Floodlights 10-50W
Order Code	7028CA/B/D
Colour	Black
Material	Die Cast
Diffuser Material	Glass
Shape	Rectangular
Length	105mm
Width	105mm
Height	20mm
Surface Ceiling	Yes
Surface Wall	Yes

Surface Floor/Ground

Yes

Outdoor

Yes

Adjustable

1 Direction

Electrical Characteristics

Gear

No

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

10W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

Cable Length

30cm

F Mark



Illumination Data

Colour Temperature

6000K

Lumen Output

900lm

Light Efficiency

90lm/W

CRI

80

Beam Angle

110°

Illumination Diagram



Packing Info

Box Length


11cm

Box Width

3cm

Box Height	11,5cm
Box Weight	0,22Kg
Pcs/Carton	60
Carton Length	41cm
Carton Width	21cm
Carton Height	32cm
Carton Weight	13,8Kg
Barcode	5291889056133
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

