




## **Product Datasheet**

#### 21 Industrial & Floodlights>AC LED Floodlights 10-50W

### 7028CA/W/C



10W AC LED flood light with adjustable mounting bracket.

IP65 rated for outdoor use.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions




#### **Physical Specification**

Item Group	21 Industrial & Floodlights
Family	AC LED Floodlights 10-50W
Order Code	7028CA/W/C
Colour	White
Material	Die Cast
Diffuser Material	Glass
Shape	Rectangular
Length	115mm
Width	110mm
Height	20mm
Surface Ceiling	Yes
Surface Wall	Yes

Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	1 Direction
Electrical Characteristics	
Gear	No
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
Cable Length	30cm
F Mark	F
Ilumination Data	
Colour Tamparatura	40001/
Colour Temperature	4000K
Light Efficiency	900lm 90lm/W
CRI	80
	110°
Beam Angle	
Illumination Diagram	
Packing Info	
Pcs/Carton	60
Barcode	5291889062035

#### Energy Label



#### Certification & Warranty

Warranty 2 Years

Weee Directive Yes

# switch to one light!

