

21 Industrial & Floodlights > AC LED Floodlights 100-250W

**7028CD/W/C**



100W AC LED flood light with adjustable mounting bracket.

IP65 rated for outdoor use.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	21 Industrial & Floodlights
Family	AC LED Floodlights 100-250W
Order Code	7028CD/W/C
Colour	White
Material	Die Cast
Diffuser Material	Glass
Shape	Rectangular
Length	320mm
Width	245mm
Height	30mm
Surface Ceiling	Yes
Surface Wall	Yes

Surface Floor/Ground	Yes
----------------------	-----

Outdoor	Yes
---------	-----

Adjustable	1 Direction
------------	-------------

#### Electrical Characteristics


Gear	No
------	----

#### Fitting + Driver

Input Voltage	220-240V
---------------	----------

50 Hz	Yes
-------	-----

60 Hz	Yes
-------	-----

Safety Class	
--------------	---

Power(Watts)	100W
--------------	------

IP Rating	IP65
-----------	------

Light Source	LED built in
--------------	--------------

Dimmable	No
----------	----

Cable Length	30cm
--------------	------

F Mark	
--------	---

#### Illumination Data

Colour Temperature	4000K
--------------------	-------

Lumen Output	9000lm
--------------	--------

Light Efficiency	90lm/W
------------------	--------

CRI	80
-----	----

Beam Angle	110°
------------	------


Illumination Diagram	
----------------------	---

#### Packing Info

Pcs/Carton	10
------------	----

Barcode	5291889062066
---------	---------------

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

