![one LIGHT]

Product Datasheet

www.1-light.eu

7820W/BL

IP68 Waterproof Flexible LED light strip, with SMD3528 LEDs, 60LEDs/meter, 4,8W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (6-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP68 · DIMMABLE · CE

Downloads

Dimensions

Cut every 10cm
(6-LED segment)

12mm

Gallery

Accessories

7826

7828

one LIGHT

20030

Physical Specification

Item Group	08 Strips & Profiles
Family	The Blue LED Strips 24V
Order Code	7820W/BL
Material	Silicone
Shape	Rectangular
Length	5000mm
Width	12mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	◇III◇
Power(Watts)	4,8W/m
IP Rating	IP68
Light Source	LED built in
LED Type	SMD 3528
LED Brand	Epistar

one
LIGHT

LED Number	60LEDs/m
F Mark	

Illumination Data

Colour Temperature	Blue
Illumination Diagram	

Packing Info

Box Length	26cm
Box Width	25cm
Box Height	2cm
Box Weight	0,43kg
Pcs/Carton	40
Barcode	5291889018285
HS Code	9405409989

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

switch to
one light!