

08 Strips & Profiles > The 9,6W/m 24V

7829A/EW



Flexible LED strip with SMD2835 LEDs, 70LEDs/m, 9,6W/m.

Supplied in 5 meters roll with 3M double face adhesive tape.

Can be cut every 10cm (7-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



20030

Physical Specification

Item Group	08 Strips & Profiles
Family	The 9,6W/m 24V
Order Code	7829A/EW
Shape	Rectangular
Length	5000mm
Width	8mm
Surface Ceiling	Yes

Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	9,6W/m
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan
LED Number	70LEDs/m
F Mark	

Illumination Data

Colour Temperature	2700K
Lumen Output	768lm/m
Light Efficiency	80lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Weight	0.192kg
Pcs/Carton	40
Barcode	5291889078517
HS Code	9405499090



Energy Class

F

Certification & Warranty

Warranty

5 years

switch to
one light!

one
LIGHT

