


08 Strips & Profiles>The Outdoor RGB & RGBW Strip 24V

## 7830W/RGB



Waterproof RGB flexible LED light strip, with SMD5050 LEDs, 60LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing, IP68.

Can be cut every 10cm (6-LED segment).

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Accessories



7827

### Related items



20034





89100LP

### Physical Specification


Item Group	08 Strips & Profiles
Family	The Outdoor RGB & RGBW Strip 24V
Order Code	7830W/RGB
Shape	Rectangular
Length	5000mm
Width	12mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes

## Electrical Characteristics

### Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	14,4W/m
IP Rating	IP68
Light Source	LED built in
LED Type	SMD 5050
LED Brand	Refond
LED Number	60Leds/m
F Mark	

## Illumination Data

Colour Temperature	RGB
Illumination Diagram	

## Packing Info

Box Length	26cm
Box Width	25cm
Box Height	2cm
Box Weight	0,54kg
Pcs/Carton	40
Barcode	5291889017714
HS Code	9405409989

## Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

