


New 2025 Edition 2>Strips & Profiles

7843E/C



Ultra slim flexible COB LED strip, 400LEDs/meter, 10W/meter.

Supplied in 5 meters roll with 3M double face adhesive tape.

Can be cut every 2cm.

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions

Cut every 2cm
(8-LED segment)



Related items



20030

Physical Specification

Item Group	New 2025 Edition 2
Family	Strips & Profiles
Order Code	7843E/C
Shape	Rectangular
Length	5000mm
Width	5mm
Surface Ceiling	Yes

Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting


Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	10W/m
IP Rating	IP20
Light Source	LED built in
LED Type	COB
F Mark	

Illumination Data

Colour Temperature	4000K
Lumen Output	900lm/m
Light Efficiency	90lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Weight	0.130kg
Pcs/Carton	50
Barcode	5291889081227
HS Code	9405499090



Energy Class

F

Certification & Warranty

Warranty

3 years

switch to
one light!

one
LIGHT

