


New 2025 Edition 2>Strips & Profiles

## 7843E/W



Ultra slim flexible COB LED strip, 400LEDs/meter, 10W/meter.

Supplied in 5 meters roll with 3M double face adhesive tape.

Can be cut every 2cm.

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions

Cut every 2cm  
(8-LED segment)



### Related items



20030

### Physical Specification

Item Group	New 2025 Edition 2
Family	Strips & Profiles
Order Code	7843E/W
Shape	Rectangular
Length	5000mm
Width	5mm
Surface Ceiling	Yes

Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

### Electrical Characteristics

#### Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	10W/m
IP Rating	IP20
Light Source	LED built in
LED Type	COB
F Mark	


### Illumination Data

Colour Temperature	3000K
Lumen Output	810lm/m
Light Efficiency	81lm/W
CRI	90
Illumination Diagram	

### Packing Info

Pcs/Carton	50
------------	----

### Energy Label



Energy Class

F

### Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

