


08 Strips & Profiles > The Flex Tiles

7848/RGBW



standards.

Flexible tile, 24W RGB + W ideal for cover walls and columns .

Supplied in 480mmx240mm pcs in white PCB and double adhesive tape for a better fixing.

Complete with 2pcs power supply cable and 2pcs tile connectors.

Connect max up to 10pcs with one driver.

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific




Downloads



Dimensions



Gallery



Related items



20036

Physical Specification


Item Group	08 Strips & Profiles
Family	The Flex Tiles
Order Code	7848/RGBW
Shape	Rectangular
Length	480mm
Width	240mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	24W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 5050
LED Number	162LEDs/pc
F Mark	

Illumination Data

Colour Temperature	RGB+3000K
Lumen Output	480lm
CRI	80
Illumination Diagram	

Packing Info

Box Weight

0.345kg

Pcs/Carton

2

Barcode

5291889071358

HS Code

9405499090

Certification & Warranty

Warranty

5 years

switch to
one light!

one
LIGHT

