

08 Strips & Profiles > The Flex Tiles

## 7848/W



standards.

Flexible tile, 10W ideal for cover walls and columns .

Supplied in 480mmx240mm pcs in white PCB and double adhesive tape for a better fixing.

Complete with 2pcs power supply cable and 2pcs tile connectors.

Connect max up to 10pcs with one driver.

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific



Downloads



Dimensions



Gallery



Related items



20030

## Physical Specification

Item Group	08 Strips & Profiles
Family	The Flex Tiles
Order Code	7848/W
Shape	Rectangular
Length	480mm
Width	240mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

## Electrical Characteristics

### Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	10W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Number	288LEDs/pc
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	850lm
Light Efficiency	85lm/W
CRI	90



### Packing Info

Box Weight	0.345kg
Pcs/Carton	2
Barcode	5291889071297
HS Code	9405499090

### Energy Label



### Certification & Warranty

Warranty	5 years
----------	---------

switch to  
**one light!**

**one**  
LIGHT

